

The Trail Inventory of Anahuac NWR Anahuac, TX



Prepared By:
Federal Highway Administration
Central Federal Lands Highway Division
February, 2012



TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
I. <u>TRAIL AND TRAIL FEATURE SUMMARIES</u>	1 - 1
II. <u>TRAIL LOCATION MAPS</u>	2 - 1
III. <u>TRAIL IDENTIFICATION LIST</u>	3 - 1
IV. <u>TRAIL CONDITION RATING SHEETS</u>	4 - 1
V. <u>TRAIL DEFICIENCY RATING SHEETS</u>	5 - 1
VI. <u>PHOTOGRAPHIC SHEETS</u>	6 - 1
VII. <u>GLOSSARY</u>	i

Anahuac NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface Type	Excellent		Others		Total
	Miles	%	Miles	%	Miles
Native	0.31	100%	0.00	0%	0.31
Concrete	0.64	100%	0.00	0%	0.64
Boardwalk	0.71	100%	0.00	0%	0.71
Mowed	1.38	100%	0.00	0%	1.38
Admin Road	0.00	0%	1.14	100%	1.14
Total	3.04	73%	1.14	27%	4.18

Trail Miles and Percentages by Trail Classification and Condition

Trail Classification	Excellent		Others		Total
	Miles	%	Miles	%	Miles
TC3	0.31	21%	1.14	79%	1.45
TC4	1.38	100%	0.00	0%	1.38
TC5	1.35	100%	0.00	0%	1.35
Total	3.04	73%	1.14	27%	4.18

*Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Sign	1	No	0.00	ANAH_C2_0029
T300	Trailhead	1	No	0.00	ANAH_C2_0028
T300	Begin Section	1	No	0.00	ANAH_C2_0035
T300	Sign	1	No	0.00	ANAH_C2_0033
T300	Lookout/Ob Deck	1	No	0.00	ANAH_C2_0034
T300	Lookout/Ob Deck	1	No	0.08	ANAH_C2_0036
T300	Culvert -lf	10	No	0.12	
T300	Sign	1	No	0.14	ANAH_C2_0030
T300	Lookout/Ob Deck	1	No	0.16	ANAH_C2_0031
T300	Begin Section	1	No	0.42	ANAH_C2_0037
T300	Sign	1	No	1.02	ANAH_C2_0032
T400	Trailhead	1	No	0.00	ANAH_C2_0005
T400	Sign	2	No	0.00	ANAH_C2_0005
T400	Sign	1	No	0.02	ANAH_C2_0006
T400	Culvert -lf	24	No	0.02	
T400	Lookout/Ob Deck	1	No	0.09	ANAH_C2_0008
T400	Sign	1	No	0.09	ANAH_C2_0007
T400	Begin Section	1	No	0.46	
T400	Culvert -lf	14	No	0.46	
T500	Trailhead	1	No	0.00	ANAH_C2_0009
T500	Begin Section	1	No	0.05	ANAH_C2_0012
T500	Sign	1	No	0.05	ANAH_C2_0011
T500	Bridge -sf	210	No	0.06	ANAH_C2_0012
T500	Bench	1	No	0.07	
T500	Begin Section	1	No	0.08	ANAH_C2_0013

T500	Sign	1	No	0.09	ANAH_C2_001 0
T500	Begin Section	1	No	0.13	ANAH_C2_001 4
T500	Bench	1	No	0.16	
T500	Bench	1	No	0.19	
T500	Bench	1	No	0.23	
T500	Lookout/Ob Deck	1	No	0.27	ANAH_C2_001 5
T500	Begin Section	1	No	0.34	ANAH_C2_001 6
T501	Trailhead	1	No	0.00	ANAH_C2_002 0
T501	Sign	1	No	0.00	ANAH_C2_001 9
T501	Sign	1	No	0.01	ANAH_C2_002 2
T501	Bench	1	No	0.05	
T501	Bench	1	No	0.08	
T501	Bench	1	No	0.11	
T501	Bench	1	No	0.13	
T501	Bench	1	No	0.14	
T502	Max Grade- %	8	No	0.00	
T502	Trailhead	1	No	0.00	ANAH_C2_013 5
T502	Sign	1	No	0.00	ANAH_C2_013 6
T502	Other	1	No	0.08	ANAH_C2_013 7
T503	Sign	1	No	0.00	ANAH_C2_013 8
T503	Trailhead	1	No	0.00	ANAH_C2_014 0
T503	Other	1	No	0.00	ANAH_C2_013 9
T503	Max Grade- %	3	No	0.08	
T503	Other	1	No	0.09	ANAH_C2_014 1
T504	Trailhead	1	No	0.00	ANAH_C2_014 3
T504	Sign	1	No	0.00	ANAH_C2_014 2
T504	Bridge -sf	400	No	0.01	ANAH_C2_014 5
T504	Gate	1	No	0.02	ANAH_C2_014 4
T504	Sign	1	No	0.08	ANAH_C2_014 6
T504	Begin Section	1	No	0.10	


T504	Bridge -sf	200	No	0.11	ANAH_C2_147 2
T504	Max Grade- %	5	No	0.13	
T504	Bench	1	No	0.16	
T504	Other	1	No	0.26	ANAH_C2_014 7
T505	Trailhead	1	No	0.00	ANAH_C2_014 9
T505	Max Grade- %	8	No	0.05	
T505	Gate	1	No	0.05	ANAH_C2_015 0
T505	Lookout/Ob Deck	1	No	0.06	ANAH_C2_015 1
T506	Begin Section	1	No	0.00	ANAH_C2_147 1
T506	Trailhead	1	No	0.00	
T506	Bridge -sf	250	No	0.01	
T506	Sign	0	Yes	0.01	
T506	Sign	4	Yes	0.04	ANAH_C2_146 7
T506	Sign	0	Yes	0.09	
T506	Max Grade- %	9	No	0.13	
T506	Boardwalk -lf	60	No	0.14	ANAH_C2_146 8
T506	Sign	0	Yes	0.15	
T506	Begin Section	1	No	0.15	ANAH_C2_146 8
T506	Bench	1	No	0.20	
T506	Lookout/Ob Deck	1	No	0.24	ANAH_C2_146 9

sf - square feet

lf - linear feet

cf - cubic feet


Anahuac NWR Trail Location Map



Station Boundary



HQ/VC




Anahuac NWR Trail Location Map



Station Boundary



HQ/VC




Anahuac NWR Trail Location Map



Station Boundary



HQ/VC





Trails ID

Station Name: Anahuac NWR

Org Code: 21521

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Skillern Tract	Admin Road	10044273	1.14	From East Bay Bayou Tract Parking 1 (Rte 915) to East Bay Bayou Tract Handicap Parking 3 (Rte 917)
T300	Skillern Tract	Native	10044273	0.31	From East Bay Bayou Tract Parking 1 (Rte 915) to East Bay Bayou Tract Handicap Parking 3 (Rte 917)
T400	Levee Trail	Mowed	10006789	1.12	From Frozen Point Rd to End of Loop
T500	Butterfly / Willows Trail	Boardwalk	10053922	0.21	From Viisitor Contact Station Parking (Rte 900) to Entrance road
T500	Butterfly / Willows Trail	Concrete	10053922	0.20	From Viisitor Contact Station Parking (Rte 900) to Entrance road
T500	Butterfly / Willows Trail	Mowed	10053922	0.26	From Viisitor Contact Station Parking (Rte 900) to Entrance road
T501	Sholver Pond Boardwalk	Boardwalk	10045558	0.14	From Boardwalk Parking (Rte 912) to End of Boardwalk
T502	Hunt Blind	Boardwalk	10045178	0.08	From Trailhead (Route 404) to Hunt Blind
T503	Skillern Tract Accessible	Concrete	10059975	0.09	Trailhead at Parking Lot (10060100) off Route 429 to End of Trail
T504	Rookery Trail	Concrete	N/A	0.29	Trailhead at Parking Lot (10060100) off Route 429 to End of Trail
T505	Ibis Overlook Trailhead	Concrete	10045546	0.06	Trailhead (Route 011) to Observation Deck
T506	Visitor Center Trail	Boardwalk	10060907	0.28	From Visitor Center to End of Trail

TRAIL CONDITION



Trail Name: Skillern Tract
Trail Number: T300

Refuge Name: Anahuac NWR
Region: 2



Total Length: 1.45 Miles

Section Number	001	002	003
Section Length (miles)	1.04	0.10	0.31
SAMMS Number	10044273	10044273	10044273
Rating Date	05/10/2006	05/10/2006	05/10/2006
Trail Section Information			
Trail Class	TC3	TC3	TC3
Surface Type	Admin Road	Admin Road	Native
Surface Firmness	Soft	Soft	Soft
Width (inches)	96	96	96
Average Grade (%)	4.4	4.4	4.4
Average X-slope (%)	2.50	2.50	2.50
Trail Condition Information			
Deferred Maintenance			
CRV			\$50,815
FCI			0.00
Condition			Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$50,815	0.00	Excellent

TRAIL CONDITION



Trail Name: Levee Trail
Trail Number: T400

Refuge Name: Anahuac NWR
Region: 2



Total Length: 1.12 Miles

Section Number	001	002
Section Length (miles)	0.92	0.20
SAMMS Number	10006789	10006789
Rating Date	05/10/2006	05/10/2006
Trail Section Information		
Trail Class	TC4	TC4
Surface Type	Mowed	Mowed
Surface Firmness	Firm	Firm
Width (inches)	80	80
Average Grade (%)	2.9	2.9
Average X-slope (%)	2.60	2.60
Trail Condition Information		
Deferred Maintenance		
CRV	\$31,419	\$6,830
FCI	0.00	0.00
Condition	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$38,249	0.00	Excellent

TRAIL CONDITION



Trail Name: Butterfly / Willows Trail
Trail Number: T500

Refuge Name: Anahuac NWR
Region: 2



Total Length: 0.67 Miles

Section Number	001	002	003	004	005
Section Length (miles)	0.09	0.06	0.05	0.21	0.26
SAMMS Number	10053922	10053922	10053922	10053922	10053922
Rating Date	05/10/2006	05/10/2006	05/10/2006	05/10/2006	05/10/2006
Trail Section Information					
Trail Class	TC5	TC5	TC5	TC5	TC4
Surface Type	Concrete	Concrete	Concrete	Boardwalk	Mowed
Surface Firmness	Paved	Paved	Paved	Hard	Firm
Width (inches)	72	72	48	52	150
Average Grade (%)	2.0	2.0	2.0	2.0	2.0
Average X-slope (%)	2.10	2.10	2.10	2.10	2.10
Trail Condition Information					
Deferred Maintenance					
CRV	\$17,323	\$11,550	\$6,416	\$100,818	\$16,649
FCI	0.00	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$152,756	0.00	Excellent

TRAIL CONDITION



Trail Name: Sholver Pond Boardwalk
Trail Number: T501

Refuge Name: Anahuac NWR
Region: 2


Total Length: 0.14 Miles

Section Number	001
Section Length (miles)	0.14
SAMMS Number	10045558
Rating Date	05/10/2006
Trail Section Information	
Trail Class	TC5
Surface Type	Boardwalk
Surface Firmness	Hard
Width (inches)	84
Average Grade (%)	2.0
Average X-slope (%)	1.80
Trail Condition Information	
Deferred Maintenance	
CRV	\$108,560
FCI	0.00
Condition	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$108,560	0.00	Excellent

TRAIL CONDITION



Trail Name: Hunt Blind
Trail Number: T502

Refuge Name: Anahuac NWR
Region: 2


Total Length: 0.08 Miles

Section Number	001
Section Length (miles)	0.08
SAMMS Number	10045178
Rating Date	03/15/2011
Trail Section Information	
Trail Class	TC5
Surface Type	Boardwalk
Surface Firmness	Boardwalk
Width (inches)	48
Average Grade (%)	0.4
Average X-slope (%)	0.70
Trail Condition Information	
Deferred Maintenance	
CRV	\$35,459
FCI	0.00
Condition	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$35,459	0.00	Excellent

TRAIL CONDITION



Trail Name: Skillern Tract Accessible
Trail Number: T503

Refuge Name: Anahuac NWR
Region: 2


Total Length: 0.09 Miles

Section Number	001
Section Length (miles)	0.09
SAMMS Number	10059975
Rating Date	03/15/2011
Trail Section Information	
Trail Class	TC5
Surface Type	Concrete
Surface Firmness	Hard
Width (inches)	48
Average Grade (%)	1.0
Average X-slope (%)	1.00
Trail Condition Information	
Deferred Maintenance	
CRV	\$11,550
FCI	0.00
Condition	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$11,550	0.00	Excellent

TRAIL CONDITION



Trail Name: Rookery Trail
Trail Number: T504

Refuge Name: Anahuac NWR
Region: 2


Total Length: 0.29 Miles

Section Number	001	002
Section Length (miles)	0.26	0.03
SAMMS Number	N/A	N/A
Rating Date	03/15/2011	09/16/2011
Trail Section Information		
Trail Class	TC5	TC5
Surface Type	Concrete	Concrete
Surface Firmness	Hard	Hard
Width (inches)	48	48
Average Grade (%)	1.0	1.0
Average X-slope (%)	1.00	1.00
Trail Condition Information		
Deferred Maintenance		
CRV	\$33,363	\$3,852
FCI	0.00	0.00
Condition	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$37,216	0.00	Excellent

TRAIL CONDITION



Trail Name: Ibis Overlook Trailhead
Trail Number: T505

Refuge Name: Anahuac NWR
Region: 2


Total Length: 0.06 Miles

Section Number	001
Section Length (miles)	0.06
SAMMS Number	10045546
Rating Date	03/15/2011
Trail Section Information	
Trail Class	TC5
Surface Type	Concrete
Surface Firmness	Hard
Width (inches)	96
Average Grade (%)	0.5
Average X-slope (%)	0.50
Trail Condition Information	
Deferred Maintenance	
CRV	\$15,397
FCI	0.00
Condition	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$15,397	0.00	Excellent

TRAIL CONDITION



Trail Name: Visitor Center Trail
Trail Number: T506

Refuge Name: Anahuac NWR
Region: 2

Total Length: 0.28 Miles

Section Number	001	002	003
Section Length (miles)	0.15	0.09	0.04
SAMMS Number	10060907	10060907	10060907
Rating Date	09/16/2011	09/16/2011	09/16/2011
Trail Section Information			
Trail Class	TC5	TC5	TC5
Surface Type	Boardwalk	Boardwalk	Boardwalk
Surface Firmness	Boardwalk	Boardwalk	Boardwalk
Width (inches)	96	96	72
Average Grade (%)	3.2	3.2	3.2
Average X-slope (%)	1.00	1.00	1.00
Trail Condition Information			
Deferred Maintenance			
CRV	\$132,941	\$79,773	\$26,584
FCI	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$239,297	0.00	Excellent

TRAIL DEFICIENCY

No Deficiencies

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0029 - MP 0.00 - Sign

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0028 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0030 - MP 0.14 - Sign

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0031 - MP 0.16 - Lookout/Ob Deck

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0032 - MP 1.02 - Sign

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0034 - MP 0.00 - Lookout/Ob Deck

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0033 - MP 0.00 - Sign

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0035 - MP 0.00 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0036 - MP 0.08 - Lookout/Ob Deck

TRAIL NUMBER: T300
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0037 - MP 0.42 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0005 - MP 0.00 - Sign

TRAIL NUMBER: T400
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0005 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0006 - MP 0.02 - Sign

TRAIL NUMBER: T400
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0007 - MP 0.09 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0008 - MP 0.09 - Lookout/Ob Deck

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0009 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0011 - MP 0.05 - Sign

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0010 - MP 0.09 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0012 - MP 0.05 - Begin Section

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0012 - MP 0.06 - Bridge -sf

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0013 - MP 0.08 - Begin Section

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0014 - MP 0.13 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0015 - MP 0.27 - Lookout/Ob Deck

TRAIL NUMBER: T500
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0016 - MP 0.34 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T501
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0020 - MP 0.00 - Trailhead

TRAIL NUMBER: T501
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0019 - MP 0.00 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T501
STATION: Anahuac NWR
DATE: 05/10/2006



Photo # ANAH_C2_0022 - MP 0.01 - Sign

TRAIL NUMBER: T502
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0135 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T502
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0136 - MP 0.00 - Sign

TRAIL NUMBER: T502
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0137 - MP 0.08 - Other

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T503
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0138 - MP 0.00 - Sign

TRAIL NUMBER: T503
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0139 - MP 0.00 - Other

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T503
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0140 - MP 0.00 - Trailhead

TRAIL NUMBER: T503
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0141 - MP 0.09 - Other

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0142 - MP 0.00 - Sign

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0143 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0145 - MP 0.01 - Bridge -sf

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0144 - MP 0.02 - Gate

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0146 - MP 0.08 - Sign

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0147 - MP 0.26 - Other

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T504
STATION: Anahuac NWR
DATE: 09/16/2011



Photo # ANAH_C2_1472 - MP 0.11 - Bridge -sf

TRAIL NUMBER: T505
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0149 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T505
STATION: Anahuac NWR
DATE: 03/15/2011




Photo # ANAH_C2_0150 - MP 0.05 - Gate

TRAIL NUMBER: T505
STATION: Anahuac NWR
DATE: 03/15/2011



Photo # ANAH_C2_0151 - MP 0.06 - Lookout/Ob Deck

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T506
STATION: Anahuac NWR
DATE: 09/16/2011



Photo # ANAH_C2_1467 - MP 0.04 - Sign

TRAIL NUMBER: T506
STATION: Anahuac NWR
DATE: 09/16/2011



Photo # ANAH_C2_1468 - MP 0.14 - Boardwalk -lf

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T506
STATION: Anahuac NWR
DATE: 09/16/2011



Photo # ANAH_C2_1468 - MP 0.15 - Begin Section

TRAIL NUMBER: T506
STATION: Anahuac NWR
DATE: 09/16/2011



Photo # ANAH_C2_1469 - MP 0.24 - Lookout/Ob Deck

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T506
STATION: Anahuac NWR
DATE: 09/16/2011



Photo # ANAH_C2_1471 - MP 0.00 - Begin Section

Glossary of Terms and Abbreviations

Acc Info	Accessibility information available at trailhead.
Action	Action required to correct deficiency.
Admin Road	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
Alt SAMMS	SAMMS number of Alternate Facility Type.
Alt Type	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
AvgGrade	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
AvgSlope	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
Check Dam	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
Condition	Subjective rating of trail based on Facility Condition Index (FCI): FCI \leq .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI $>$.20 = Failed
Crib Wall	Retaining wall.
Current Replacement Value (CRV)	The value of an asset determined by the estimated cost of replacing it.
Def type	Deficiency Type: Trail Structure, Drainage, Erosion, Obstacle, Trail Location, Other.
Deferred Maintenance (DM)	Maintenance that was not performed when scheduled.

Elem ID	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
Facility Condition Index (FCI)	DM/CRV
Grouped Features	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the “quantity” field of the data dictionary.
Info Type	Type of accessibility information available at trailhead: brochure, sign or other.
Item	Item on which the “Action” (see above) will be performed.
Manage_Use	Managed use of the trail: HIKE, BIKE, NSPC (non-specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
MP	Distance of a trail feature or deficiency from the Trailhead.
Puncheon	Log footbridge used in area of poor drainage.
Raised Trail Structure	Boardwalk, Turnpike, Puncheon.
T Class	Trail Class: I-V (see Appendix ? for trail class descriptions).
Tr Desig	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
Turnpike	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.